PATENT COOPERATION TREATY

PCT

REC'D 17 OCT 2005

INTERNATIONAL PRELIMINARY REPORT ON PAINENTABILITY PCT

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

| Applicant's or agent's file reference | FOR FURTHER ACT | ION . | | | |
|--|---|--|--|--|--|
| no reference | TOR FORTILE ACT | ion ; | See Form PCT/IPEA/416 | | |
| International application No. PCT/FI2004/000427 | International filing date (da 06.07.2004 | ay/month/year) | Priority date (day/month/year) 07.07.2003 | | |
| International Patent Classification (IPC) or national classification and IPC | | | | | |
| H04Q7/22, H04L12/28 | | | | | |
| | | | | | |
| Applicant PIRILÄ, Hannu et al. | | | | | |
| TimeA, Flatinu et al. | | | | | |
| This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. | | | | | |
| 2. This REPORT consists of a total | 2. This REPORT consists of a total of 5 sheets, including this cover sheet. | | | | |
| 3. This report is also accompanied by ANNEXES, comprising: | | | | | |
| a. 🗵 sent to the applicant and to the International Bureau) a total of 3 sheets, as follows: | | | | | |
| sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions). | | | | | |
| ☐ sheets which superse beyond the disclosure Supplemental Box. | ede earlier sheets, but whi e in the international appli | ch this Authority consi cation as filed, as Indic | ders contain an amendment that goes cated in item 4 of Box No. I and the | | |
| b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)) containing a | | | | | |
| sequence listing and/or ta | bles related thereto, in co e Listing (see Section 802 | mouter readable form | only, as indicated in the Supplemental | | |
| | | | | | |
| | | | | | |
| 4. This report contains indications relating to the following items: | | | | | |
| ☐ Box No. I Basis of the or | pinion | | • | | |
| ☐ Box No. II Priority | | | | | |
| | ment of opinion with regard | d to novelty, inventive | step and industrial applicability | | |
| Box No. IV Lack of unity of | | | | | |
| Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement | | | | | |
| ☐ Box No. VI Certain docum | | | | | |
| 1 | ☐ Box No. VII Certain defects in the international application | | | | |
| ☐ Box No. VIII Certain observations on the international application | | | | | |
| Date of submission of the demand | | Date of completion of th | is report | | |
| 27.12.2004 | | 18.10.2005 | | | |
| Name and mailing address of the international preliminary examining authority: European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016 | | Authorized Officer | net Prim. | | |
| | | Weinmiller, J | Service M. J. Commission of the Commission of th | | |
| | | Telephone No. +31 70 | 340,3884 | | |
| | • | respirate No. +31 70 | Anice early 4 | | |

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/FI2004/000427

| _ | Box No. I | Basis of the report | |
|----|---|--|--|
| 1. | rd to the language , this report is based on the international application in the language in which it was otherwise indicated under this item. | | |
| | ☐ This r which | eport is based on translations from the original language into the following language , is the language of a translation furnished for the purposes of: | |
| | L pu | ernational search (under Rules 12.3 and 23.1(b)) blication of the international application (under Rule 12.4) ernational preliminary examination (under Rules 55.2 and/or 55.3) | |
| 2. | 2. With regard to the elements* of the international application, this report is based on (replacement sheets where have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report): | | |
| | Descriptio | n, Pages | |
| | 1-7 | as originally filed | |
| | Claims, No | umbers | |
| | 1-17 | received on 20.12.2004 with letter of 20.12,2004 | |
| | Drawings, Sheets | | |
| | 1/2-2/2 | as originally filed | |
| | □ a seq | uence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing | |
| 3. | | mendments have resulted in the cancellation of: | |
| | L th ⊠ th | e description, pages e claims, Nos. 1-17 | |
| | ☐ th | e drawings, sheets <i>f</i> igs e sequence listing <i>(specify)</i> : | |
| | ☐ ar | ny table(s) related to sequence listing (specify): | |
| 4. | nau not b | report has been established as if (some of) the amendments annexed to this report and listed below een made, since they have been considered to go beyond the disclosure as filed, as indicated in the ental Box (Rule 70.2(c)). | |
| | | e description, pages e claims, Nos. | |
| | □ th | e drawings, sheets/figs e sequence listing <i>(specify)</i> : | |
| | □ ar | ny table(s) related to sequence listing <i>(specify)</i> : | |
| | * If i | tem 4 applies, some or all of these sheets may be marked "supergoded" | |

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/FI2004/000427

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

No: Claims

1-17

Inventive step (IS)

Yes: Claims

No: Claims

1-17

Industrial applicability (IA)

Yes: Claims

1-17

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following document/s/:

D1: EP-A-1 076 463 (LUCENT TECHNOLOGIES INC) 14 February 2001 (2001-02-14)

D2: WO 98/59513 A (NOKIA MOBILE PHONES LTD; LINTULAMPI RAINO (FI)) 30 December 1998 (1998-12-30)

D3: WO 98/53626 A (ERICSSON TELEFON AB L M) 26 November 1998 (1998-11-26)

The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of independent claims 1, 6, 12, 15 is not new in the sense of Article 33(2) PCT.

Method for use in a network device, comprising the steps of: the network device supporting the first mode (see D1, column 4, line 5-7), receiving service request signalling from a multimode terminal (see D1, column 4, line 17-18) for requesting any service that the terminal supports in at least one of the various modes supported by the terminal (see D1, column 4, line 17-19) but which is not supported by the receiving network device or by the multimode terminal in the serving mode (see D1, column 4, line 16-17), characterized in that the network device is a network element of the multimode network (see D1, Fig. 1).

The applicant argues novelty of the invention over D1, D2 and D3. However most of the claimed features of the invention are not present in the claims. The arguments are therefore irrelevant. The applicant is reminded that the subject of the application is the invention as defined in the claims. In particular the claims do not define any registration aspects.

Furthermore the method claims 1 and 6 merely comprise a single step, namely receiving/sending a service request which a terminal could use but the current network cannot offer. Quite obviously this step is known, see D1 in the above passages; D2, page 6, line 3-8. There are no features in the claims directed to what processes are performed after the request is received. Any further properties which are claimed for the invention are mere interpretation lacking basis in the claims.

The applicant is further pointed to the fact that a plurality of terms are comprised which lack

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/FI2004/000427

any clear meaning. E.g. it is not clear what "the first mode" is as neither modes are defined nor does the term have any antecedent basis. The same applies to "service" which is too broad to translate into technical features. The amendment made to the claim comprises a further such deficiency in that it describes "the multimode network" which has no antecedent basis. The naming of "the network device" being a "network element" is a mere choice of terminology and does not relate to any technical properties of the method.

The same reasoning applies, mutatis mutandis, to the subject-matter of the corresponding independent claims 6, 12 and 15, which therefore are also considered not new/inventive.

Dependent claims 2-5, 7-11, 13, 14, 16, 17 do not contain any features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT in respect of novelty and/or inventive step, see documents D1, D2 and D3 and the corresponding passages cited in the search report.

CLAIMS

- 1. Method for use in a network device, comprising the steps of: the network device supporting the first mode, receiving service request signalling from a multimode terminal for requesting any service that the terminal supports in at least one of the various modes supported by the terminal but which is not supported by the receiving network device or by the multimode terminal in the serving mode, characterized in that the network device is a network element of the multimode network.
- 2. A method according to claim 1 where the network device decides to move the terminal to another system, supporting a second mode and the requested service, the second mode and the requested service in the second mode also being supported by the multimode terminal, if possible and necessary in order to establish the requested service.
- 3. A method according to claim 1, characterised in that the network device is using service request signalling messages that as such are used for services supported in the first mode, but using signalling parameter code points indicating a specific service that is not supported by the network device or by the multimode terminal in the first mode but the specific service being supported by another system operating in the second mode.
- 4. A method according to claim 1, characterised in that the service request signalling is triggered by a mobile station originated service establishment request.
- 5. A method according to claim 1, characterised in that the service request signalling is triggered by a network originated service establishment request.
- 6. Method for use in a multimode terminal device, comprising the steps of: the multimode terminal device sending service request signalling to a network device operating in the first mode, for requesting any service that the terminal supports in at least one of the various modes supported by the terminal but which is not supported by the receiving network device or by the multimode terminal in the serving mode,

characterized in that the network device is a network element of the multimode network.

7. A method according to claim 6, where the terminal device is moved to another system, supporting a second mode and the requested service, the second mode and the requested service in

- the second mode also being supported by the multimode terminal, if possible and necessary in order to establish the requested service.
 - 8. A method according to claim 6, characterised in that the multimode terminal device is using service request signalling messages that as such are used for services supported for the first mode, but using code points indicating a specific service that is not supported in the first mode, either by the multimode terminal or by the network operating in the first mode.
 - 9. A method according to claim 6, characterised in that the multimode terminal device is using service request signalling that is not known by the network operating in the first mode and where the service request from the terminal is then forwarded by the network operating in the first mode, in a transparent container, to the network operating in a second mode, the second mode being also supported by the terminal, the network supporting the second mode decoding the service request and initiating a service based handover towards the network operating in the second mode where the requested service can be established.
 - 10. A method according to claim 6, characterised in that the service request signalling is triggered by a mobile station originated service establishment request.
 - 11. A method according to claim 6, characterised in that the service request signalling is triggered by a network originated service establishment request.
 - 12. A Multimode terminal comprising means for sending service request signalling to a network device operating in the first mode, for requesting any service that the terminal supports in at least one of the various modes supported by the terminal but which is not supported by the receiving network device or by the multimode terminal in the serving mode, characterized in that the network device is a network element of the multimode network.
 - 13. A multimode terminal according to claim 12, where the terminal device is moved to another system, supporting a second mode and the requested service, the second mode and the requested service in the second mode also being supported by the multimode terminal, if possible and necessary in order to establish the requested service.
 - 14. A multimode terminal according to claim 12, where the multimode terminal device is using service request signalling messages that as such are used for services supported for the first

- mode, but using code points indicating a specific service that is not supported in the first mode, either by the multimode terminal or by the network operating in the first mode.
 - 15. A network device supporting first mode, comprising means for receiving service request signalling from a multimode terminal for requesting any service that the terminal supports in at least one of the various modes supported by the terminal but which is not supported by the receiving network device or by the multimode terminal in the serving mode, characterized in that the network device is a network element of the multimode network.
 - 16. A network device according to claim 15 where the network device decides to move the terminal to another system, supporting a second mode and the requested service, the second mode and the requested service in the second mode also being supported by the multimode terminal, if possible and necessary in order to establish the requested service.
 - 17. A network device according to claim 15, where the network device is using service request signalling messages that as such are used for services supported in the first mode, but using signalling parameter code points indicating a specific service that is not supported by the network device or by the multimode terminal in the first mode but the specific service being supported by another system operating in the second mode.